

Boeing Realty Corporation C-6 Facility

Los Angeles California

April 1999

Prepared by Integrated Environmental Services, Inc.

For Boeing Realty Corporation

3990 Westerly Place, Suite 210 ◆ Newport Beach, CA 92660 ◆ Tel: (949) 852-9050 ◆ Fax: (949) 852-9011



ADDENDUM PARCEL B SUPPLEMENTAL SITE INVESTIGATION — BUILDING 4

This report is an addendum to the Parcel B Supplemental Site Investigation (SSI) report prepared in July 1998 by Integrated Environmental Services, Inc. for the Boeing C-6 facility in Los Angeles, California (IESI 1998). This addendum presents the investigation activities and findings pertaining to Building 4, in Area of Interest (AOI) 4, as defined in the SSI report. As discussed in that report, Building 4 was in use as the main power source for the C-6 facility and could not be investigated when the Parcel B SSI was conducted in May 1998. The sampling at Building 4 was conducted in March 1999 immediately after its demolition that month.

The Building 4 investigation followed the objectives, approach, and methods instituted for the main SSI. For program details, please refer to the SSI report (IESI 1998).

DESCRIPTION

Building 4 was a 3,000-square-foot structure constructed by Douglas Aircraft Company (DAC) in the 1950s to house electrical equipment. A room in the eastern portion of the building was used for battery storage and charging operations (K/J 1996c). The room contained sixty 2-volt batteries, which were removed as the building was dismantled. Building 4 was the last structure removed from Parcel B since site power had to be rerouted before demolition.

According to plant layout maps from 1943 to 1948 and aerial photographs, three 8,000-gallon aboveground transformer oil storage tanks were located in the western portion of the Building 4 footprint and spill-containment berm, measuring approximately 50 by 50 feet enclosed the tank area. The tanks were removed sometime in 1952 or 1953, during construction of the southern parking lot.

A complete description of Building 4 is presented in the SSI report.



INVESTIGATION PROGRAM


During the investigation, ten borings to depths between 5 and 15 feet below ground surface (bgs) were advanced: one on the east side of Building 4, a former battery storage area, and nine on the west side of the building, a former aboveground storage tank area (containing transformer oil).

The single boring on the east side of the building was advanced to 15 feet bgs with soil samples collected at 1, 5, 10, and 15 feet bgs. The samples were submitted to the laboratory for metals and pH analysis to assess potential impacts to soil from the battery storage activities.

Each of the nine borings on the west side of the building were advanced to 5 feet bgs, with soil samples collected at 1 and 5 feet below the <u>native</u> soil surface. Due to the presence of a 1- to 3-foot layer of fill soil placed over this area after the removal of the tanks, the first soil sample at each boring was collected 1 foot below where the native soil is encountered.

In addition to the individual (discrete) samples collected at each specified depth in the nine borings, composite soil samples were prepared by combining soil from the three locations shown in Figure 1. Samples were collected at 1 and 5 feet bgs, for a total of six composite samples. The soil samples from this area were analyzed for PCBs to assess potential impacts to soil from the former transformer oil tanks. The composite samples and three discrete samples (one from each row of samples, two from 1 foot bgs, and one from 5 feet bgs) were submitted to the laboratory for analysis. The remaining discrete samples were submitted to the laboratory but placed on hold until the results of the composite samples were evaluated. Since no PCBs were detected in any of the composite samples, none of the associated discrete samples were analyzed.

Table A-1 summarizes the soil sampling program for Building 4.




BLDG 13

> BLDG 14

Legend

A014A Sample Location
Composite Samples
Demolished Building



FEET



TITLE:
Building 4 Sample Locations
A014A
Boeing C-6 Facility
Los Angeles, CA

DWN: DES.: PROJECT NO.:

JDL JDL
CHKD: APPD: BOC6\SSI
AC JPO
DATE: REV.:
4/15/99 3 A-1



TABLE A-1 SOIL SAMPLING PROGRAM FOR BUILDING 4 (AOI4)

Building 4 Location	No. of Borings	No. of Composite Sample Locations & Depths ^(a)	No. of Composite Samples Analyzed	No. of Discrete Sample Locations & Depths	No. of Discrete Samples Analyzed	Chemical Analyses
Northeast Section – Battery Room	1	NA	NA	1 at 1, 5, 10, & 15 ft	4	Metals and pH
West Side – Former Transformer Tank Area	9	3 at 1 & 5 ft ^(b)	6	9 at 1 & 5 ft ^(b)	3	PCBs

NA = Not applicable

PCBs = Polychlorinated biphenyls

Notes:

SOIL SAMPLING

Field activities began with the selection of sampling locations for surface soils and a geophysical survey at locations of subsurface investigation. Sampling locations in the west side of the building were originally determined by a square grid pattern. However, the presence of underground debris and pipes necessitated the relocation of two of the samples. The final soil sampling locations are shown in Figure A-1.

Subsurface soils were sampled using direct-push drilling methods. The push technology uses a truck-mounted, hydraulically driven sampler that allows penetration and standard sampling while minimizing generation of drill cuttings. The sampler for the push tool was fitted with 2-footlong, 1-inch-diameter Tenite sleeves if a contact depth between native and fill material had to be determined. When collecting samples, the push tool was fitted with four 6-inch stainless steel rings. Minimal cuttings were generated using this equipment. The boreholes were backfilled with a cement-bentonite grout. To minimize cross-contamination, the sampling equipment was decontaminated prior to each sample collection. As stated, ten borings were advanced in the Building 4 area.

a) Six composite samples were collected by combining soil collected at each depth from each row (north-south) of borings (see Figure 1). For example, composite sample AOI4A-C1 consists of soil collected at 1 foot below native soil surface from borings B1, B2, and B3.

b) Soil samples were collected at 1 and 5 feet below the contract between native and fill soils.



Sample handling procedures followed the approved SSI regime. Borehole soil samples were collected in stainless-steel liners with Teflon sheets and capped at each end. Each sample container was labeled and temporarily stored in an ice-filled cooler. The field supervisor maintained custody until the samples were transferred to the laboratory. Custody was documented on standard chain-of-custody forms, which are included with the laboratory reports at the end of this addendum.

SAMPLE ANALYTICAL PROGRAM

As during the SSI, analytical work was conducted by Orange Coast Analytical, Inc. in Tustin, California. The laboratory is California-certified in the use of standard U.S. Environmental Protection Agency test methods and appropriate state-required modifications. As described in the SSI report, analytical methods were selected for constituents of potential concern based on historical uses of the property. The analytical methods selected and the number of samples analyzed are detailed in Table A-2.

TABLE A-2
ANALYTICAL METHODS AND NUMBER OF SAMPLES ANALYZED

Building 4 Location	No. of Samples Analyzed	PCBs (8080)	pH (9045)	Metals (6010, 7196, 7471)
East side – Battery room	4	0	4	4
West side – Transformer oil tanks	9	9	0	0

PCBs = Polychlorinated biphenyls

SITE INVESTIGATION FINDINGS

As discussed in the SSI report, the analytical results were compared to a set of health-based remediation goals (HBRGs) developed for the site as part of a self-imposed program to identify AOIs. The HBRGs have been used for screening purposes during demolition to enhance the effectiveness of field activities.



Four samples were collected from the one boring advanced in the on the east side of the building, in the previous location of a battery room. These samples were submitted for metals and pH analysis. The laboratory results are included at the end of this addendum. The maximum concentration of each detected constituent is presented in the Table A-3.

TABLE A-3 SUMMARY OF CONSTITUENTS DETECTED IN SOIL, BATTERY ROOM

Constituent	Maximum Detection (mg/kg)	HBRG (mg/kg)
arsenic	6.3	14
barium	180	2520
beryllium	0.71	15.6
cadmium	0.21	16.4
chromium-total	25	97.3
cobalt	12	20
copper	42	1260
lead	6.5	111
nickel	22	239
vanadium	55	84
zinc	83	8730

HBRG = Health-based remediation goal

None of the detections exceeded the HBRGs established for the site. The pH analysis resulted in a pH range of 8.2 to 8.9.

In the west side of the building, borings were push sampled using clear 2-foot Tenite sleeves to identify the contact between fill material and native soil. Native soils were encountered from 4.0 to 7.5 feet bgs. Once the contact depth was determined, soil samples were collected using the stainless steel sleeves. All samples were analyzed for PCBs. The results of the analysis indicate that none of the samples contained PCBs above the detection limits. The laboratory results are presented at the end of this addendum.



QUALITY ASSURANCE/QUALITY CONTROL RESULTS

One equipment rinsate and one duplicate soil sample were collected as part of the quality assurance and quality control (QA/QC) sampling protocol described in the SSI report. The rinsate sample was collected by pouring distilled water over and through the sample collection equipment after the equipment's final decontamination rinse. The sample was analyzed for PCBs, metals, and pH. No PCBs were detected in the rinsate sample, and metals and were within background range. The results of the rinsate analysis are presented at the end of this addendum.

The field duplicate sample was collected at boring AOI4A-B10 from the sample sleeve directly below the original sample collected at 15 feet bgs. The field duplicate and its associated routine (original) sample were collected using the same sampling method. The analytical results of the duplicate sample and its associated routine sample indicate good correlation. The results are presented in the laboratory reports at the end of this addendum.

CONCLUSIONS

The Building 4 investigation was conducted following the objectives, approach, and methods established for the main SSI as described in the SSI report (IESI 1998) The data generated during this investigation will support future site remediation, feasibility studies, groundwater investigations, and risk assessment, should such actions become necessary.

None of the Building 4 soils were found to contain constituents of potential concern at levels that warrant remediation. Furthermore, the pH range of 8.2 to 8.9 in the former battery room location indicates no battery acid contamination has occurred.





LABORATORY REPORTS

3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067 4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

LABORATORY REPORT FORM

Laboratory Name: ORANGE COAST ANALYTICAL, INC.

Address:

3002 Dow Suite 532 Tustin, CA 92780

Telephone:

(714) 832-0064

Laboratory Certification

(ELAP) No.:

1416

Expiration Date:

2001

Laboratory Director's Name (Print):

Mark Noorani

Mad Morani

Client:

Integrated Environmental

Project No.:

Project Name:

Bldg 4, AOI4, BRC

Laboratory Reference: <u>IES 10821</u>

Analytical Method: Metals, pH, PCB's

Date Sampled:

03/31/99

Date Received:

03/31/99

Date Reported:

04/01/99

Sample Matrix:

Soil & Water

Chain of Custody Received:

Laboratory Director's Signature:

Ms. Joann Ornelas

3990 Westerly Pl. Suite 210 Newport Beach, CA 92660

Client Project ID: Bldg 4, AOI4, BRC

Client Project #:

Sampled:

03/31/99

Received:

03/31/99

Analyzed:

04/01/99

Laboratory Sample #: 99030257 Laboratory Reference #: IES 10821

Sample Description: Soil, AOI4A-B2-1-5.5

Reported: 04/01/99

POLYCHLORINATED BIPHENYL'S (EPA 8080)

ANALYTE	CAS NUMBER	DETECTION LIMIT μg/kg	SAMPLE RESULTS µg/kg
PCB-1016	12674-11-2	20	N.D.
PCB-1221	111104-28-2	20	N.D.
PCB-1232	11141-16-5	20	N.D.
PCB-1242	53469-21-9	20	N.D.
PCB-1248	12672-29-6	20	N.D.
PCB-1254	11097-69-1	20	N.D.
PCB-1260	11096-82-5	20	N.D.

Ms. Joann Ornelas

3990 Westerly Pl. Suite 210

Newport Beach, CA 92660

Sample Description: Soil, AOI4A-B5-2-9.5

Laboratory Sample #: 99030258 Laboratory Reference #: IES 10821 Client Project ID: Bldg 4, AOI4, BRC

Client Project #:

Sampled:

03/31/99

Received:

03/31/99

Analyzed:

04/01/99

Reported:

04/01/99

POLYCHLORINATED BIPHENYL'S (EPA 8080)

ANALYTE	CAS NUMBER	DETECTION LIMIT μg/kg	SAMPLE RESULTS μg/kg
PCB-1016	12674-11-2	20	N.D.
PCB-1221	111104-28-2	20	N.D.
PCB-1232	11141-16-5	20	N.D.
PCB-1242	53469-21-9	20	N.D.
PCB-1248	12672-29-6	20	N.D.
PCB-1254	11097-69-1	20	N.D.
PCB-1260	11096-82-5	20	N.D.

Ms. Joann Ornelas 3990 Westerly Pl. Suite 210 Newport Beach, CA 92660

Client Project ID: Bldg 4, AOI4, BRC

Client Project #:

Sampled: Received: 03/31/99

Sample Description: Soil, AOI4A-B8-1-5.5 Laboratory Sample #: 99030259

Analyzed:

03/31/99 04/01/99

Laboratory Reference #: IES 10821

Reported:

04/01/99

POLYCHLORINATED BIPHENYL'S (EPA 8080)

ANALYTE	CAS NUMBER	DETECTION LIMIT µg/kg	SAMPLE RESULTS μg/kg
PCB-1016	12674-11-2	20	N.D.
PCB-1221	111104-28-2	20	N.D.
PCB-1232	11141-16-5	20	N.D.
PCB-1242	53469-21-9	20	N.D.
PCB-1248	12672-29-6	20	N.D.
PCB-1254	11097-69-1	20	N.D.
PCB-1260	11096-82-5	20	N.D.

Ms. Joann Ornelas 3990 Westerly Pl. Suite 210 Newport Beach, CA 92660

Client Project ID: Bldg 4, AOI4, BRC

Client Project #:

Sample Description: Water, AOI4A-Rinsate-1

Laboratory Sample #: 99030260 Laboratory Reference #: IES 10821 Sampled: 03/31/99 Received: 03/31/99

Analyzed: 04/01/99 Reported: 04/01/99

POLYCHLORINATED BIPHENYL'S (EPA 8080)

ANALYTE	CAS NUMBER	DETECTION LIMIT µg/l	SAMPLE RESULTS µg/l
PCB-1016	12674-11-2	5.0	N.D.
PCB-1221	111104-28-2	5.0	N.D.
PCB-1232	11141-16-5	5.0	N.D.
PCB-1242	53469-21-9	5.0	N.D.
PCB-1248	12672-29-6	5.0	N.D.
PCB-1254	11097-69-1	5.0	N.D.
PCB-1260	11096-82-5	5.0	N.D.

Ms. Joann Ornelas 3990 Westerly PI. Suite 210 Newport Beach, CA 92660

Client Project ID: Bldg 4, AOI4, BRC

Client Project #:

Sampled:

03/31/99

Sample Description: Soil, AOI4A-C1/B1,2,3-1-1

Received: Analyzed: 03/31/99

Laboratory Sample #: 99030261

04/01/99

Laboratory Reference #: IES 10821

Reported:

04/01/99

POLYCHLORINATED BIPHENYL'S (EPA 8080)

ANALYTE	CAS NUMBER	DETECTION LIMIT µg/kg	SAMPLE RESULTS μg/kg
PCB-1016	12674-11-2	20	N.D.
PCB-1221	111104-28-2	20	N.D.
PCB-1232	11141-16-5	20	N.D.
PCB-1242	53469-21-9	20	N.D.
PCB-1248	12672-29-6	20	N.D.
PCB-1254	11097-69-1	20	N.D.
PCB-1260	11096-82-5	20	N.D.

Ms. Joann Omelas 3990 Westerly Pl. Suite 210 Newport Beach, CA 92660

Client Project ID: Bldg 4, AOI4, BRC

Client Project #:

Sample Description: Soil, AOI4A-C2/B1,2,3-2-5

Laboratory Sample #: 99030262 Laboratory Reference #: IES 10821 Sampled:

03/31/99

Received:

03/31/99

Analyzed: Reported: 04/01/99 04/01/99

POLYCHLORINATED BIPHENYL'S (EPA 8080)

ANALYTE	CAS NUMBER	DETECTION LIMIT µg/kg	SAMPLE RESULTS μg/kg
PCB-1016	12674-11-2	20	N.D.
PCB-1221	111104-28-2	20	N.D.
PCB-1232	11141-16-5	20	N.D.
PCB-1242	53469-21-9	20	N.D.
PCB-1248	12672-29-6	20	N.D.
PCB-1254	11097-69-1	20	N.D.
PCB-1260	11096-82-5	20	N.D.

Ms. Joann Ornelas 3990 Westerly Pl. Suite 210 Newport Beach, CA 92660

Client Project ID: Bldg 4, AOI4, BRC

Client Project #:

Sampled: Received: 03/31/99

Sample Description: Soil, AOI4A-C3/B4,5,6-1-1

03/31/99

Laboratory Sample #: 99030263

Analyzed:

04/01/99

Laboratory Reference #: IES 10821

Reported:

04/01/99

POLYCHLORINATED BIPHENYL'S (EPA 8080)

ANALYTE	CAS NUMBER	DETECTION LIMIT µg/kg	SAMPLE RESULTS μg/kg
PCB-1016	12674-11-2	20	N.D.
PCB-1221	111104-28-2	20	N.D.
PCB-1232	11141-16-5	20	N.D.
PCB-1242	53469-21-9	20	N.D.
PCB-1248	12672-29-6	20	N.D.
PCB-1254	11097-69-1	20	N.D.
PCB-1260	11096-82-5	20	N.D.

Ms. Joann Ornelas

3990 Westerly Pl. Suite 210

Newport Beach, CA 92660

Client Project ID: Bldg 4, AOI4, BRC

Client Project #:

Sampled:

03/31/99

Sample Description: Soil, AOI4A-C4/B4,5,6-2-5

Laboratory Sample #: 99030264

Laboratory Reference #: IES 10821

Received:

03/31/99

Analyzed:

04/01/99

Reported:

04/01/99

POLYCHLORINATED BIPHENYL'S (EPA 8080)

ANALYTE	CAS NUMBER	DETECTION LIMIT µg/kg	SAMPLE RESULTS μg/kg
PCB-1016	12674-11-2	20	N.D.
PCB-1221	111104-28-2	20	N.D.
PCB-1232	11141-16-5	20	N.D.
PCB-1242	53469-21-9	20	N.D.
PCB-1248	12672-29-6	20	N.D.
PCB-1254	11097-69-1	20	N.D.
PCB-1260	11096-82-5	20	N.D.

Ms. Joann Ornelas

3990 Westerly PI. Suite 210

Newport Beach, CA 92660

Client Project ID: Bldg 4, AOI4, BRC

Client Project #:

Sampled:

03/31/99

Sample Description: Soil, AOI4A-C5/B7,8,9-1-1

Received: Analyzed: 03/31/99

Laboratory Sample #: 99030265

04/01/99

Laboratory Reference #: IES 10821

Reported:

04/01/99

POLYCHLORINATED BIPHENYL'S (EPA 8080)

ANALYTE	CAS NUMBER	DETECTION LIMIT μg/kg	SAMPLE RESULTS μg/kg
PCB-1016	12674-11-2	20	N.D.
PCB-1221	111104-28-2	20	N.D.
PCB-1232	11141-16-5	20	N.D.
PCB-1242	53469-21-9	20	N.D.
PCB-1248	12672-29-6	20	N.D.
PCB-1254	11097-69-1	20	N.D.
PCB-1260	11096-82-5	20	N.D.

Ms. Joann Ornelas 3990 Westerly PI. Suite 210 Newport Beach, CA 92660

Client Project ID: Bldg 4, AOI4, BRC

Client Project #:

Sampled: Received: 03/31/99

Sample Description: Soil, AOI4A-C6/B7,8,9-2-5 Laboratory Sample #: 99030266

Analyzed:

03/31/99 04/01/99

Laboratory Reference #: IES 10821

Reported:

04/01/99

POLYCHI ORINATED BIPHENYI 'S (EPA 8080)

ANALYTE	CAS NUMBER	DETECTION LIMIT µg/kg	SAMPLE RESULTS μg/kg
PCB-1016	12674-11-2	20	N.D.
PCB-1221	111104-28-2	20	N.D.
PCB-1232	11141-16-5	20	N.D.
PCB-1242	53469-21-9	20	N.D.
PCB-1248	12672-29-6	20	N.D.
PCB-1254	11097-69-1	20	N.D.
PCB-1260	11096-82-5	20	N.D.

Ms. Joann Ornelas 3990 Westerly Pl. Suite 210

Newport Beach, CA 92660

Sample Description: Soil, AOI4A-B10-1-0.5

Laboratory Sample #: 99030252 Laboratory Reference #: IES 10821 Client Project ID: Bldg 4, AOI4, BRC

Client Project #:

Sampled:

03/31/99

Received: Analyzed: 03/31/99

Reported:

04/01/99 04/01/99

CCR - METALS

ANALYTE	EPA METHOD	DETECTION LIMIT mg/kg	SAMPLE RESULTS mg/kg
Antimony	6010	5.0	N.D.
Arsenic	6010	1.0	3.8
Barium	6010	0.5	180
Beryllium	6010	0.5	0.69
Cadmium	6010	0.5	0.21
Chromium (Total)	6010	0.5	22
Chromium (VI)	7196	0.5	N.D.
Cobalt	6010	0.5	9.5
Copper	6010	0.5	23
Lead	6010	1.0	5.7
Mercury	7471	0.1	N.D.
Molybdenum	6010	1.0	N.D.
Nickel	6010	0.5	22
Selenium	6010	5.0	N.D.
Silver	6010	0.5	N.D.
Thallium	6010	5.0	N.D.
Vanadium	6010	0.5	43
Zinc	6010	0.5	49

Ms. Joann Ornelas 3990 Westerly Pl. Suite 210 Newport Beach, CA 92660

Client Project ID: Bldg 4, AOI4, BRC

Sampled:

Client Project #:

03/31/99

Sample Description: Soil, AOI4A-B10-2-5 Laboratory Sample #: 99030253

Received:

03/31/99

Analyzed:

04/01/99

Laboratory Reference #: IES 10821

Reported:

04/01/99

CCR - METALS

ANALYTE	EPA METHOD	DETECTION LIMIT mg/kg	SAMPLE RESULTS mg/kg
Antimony	6010	5.0	N.D.
Arsenic	6010	1.0	5.4
Barium	6010	0.5	160
Beryllium	6010	0.5	0.61
Cadmium	6010	0.5	N.D.
Chromium (Total)	6010	0.5	24
Chromium (VI)	7196	0.5	N.D.
Cobalt	6010	0.5	11
Copper	6010	0.5	32
Lead	6010	1.0	5.9
Mercury	7471	0.1	N.D.
Molybdenum	6010	1.0	N.D.
Nickel	6010	0.5	21
Selenium	6010	5.0	N.D.
Silver	6010	0.5	N.D.
Thallium	6010	5.0	N.D.
Vanadium	6010	0.5	51
Zinc	6010	0.5	63

Ms. Joann Ornelas 3990 Westerly PI. Suite 210 Newport Beach, CA 92660

Client Project #:

Client Project ID: Bldg 4, AOI4, BRC

Sampled:

03/31/99

Sample Description: Soil, AOI4A-B10-3-10 Laboratory Sample #: 99030254

Received: Analyzed: 03/31/99 04/01/99

Laboratory Reference #: IES 10821

Reported:

04/01/99

CCR - METALS

ANALYTE	EPA METHOD	DETECTION LIMIT mg/kg	SAMPLE RESULTS mg/kg
Antimony	6010	5.0	N.D.
Arsenic	6010	1.0	6.3
Barium	6010	0.5	180
Beryllium	6010	0.5	0.68
Cadmium	6010	0.5	N.D.
Chromium (Total)	6010	0.5	25
Chromium (VI)	7196	0.5	N.D.
Cobalt	6010	0.5	, 12
Copper	6010	0.5	36
Lead	6010	1.0	6.5
Mercury	7471	0.1	N.D.
Molybdenum	6010	1.0	N.D.
Nickel	6010	0.5	21
Selenium	6010	5.0	N.D.
Silver	6010	0.5	N.D.
Thallium	6010	5.0	N.D.
Vanadium	6010	0.5	54
Zinc	6010	0.5	71

Ms. Joann Ornelas 3990 Westerly Pl. Suite 210 Newport Beach, CA 92660 Client Project ID: Bldg 4, AOI4, BRC

Client Project #:

Sample Description: Soil, AOI4A-B10-4-15D

Laboratory Sample #: 99030255 Laboratory Reference #: IES 10821

 Sampled:
 03/31/99

 Received:
 03/31/99

 Analyzed:
 04/01/99

Reported: 04/01/99

CCR - METALS

ANALYTE	EPA METHOD	DETECTION LIMIT mg/kg	SAMPLE RESULTS mg/kg
Antimony	6010	5.0	N.D.
Arsenic	6010	1.0	4.1
Barium	6010	0.5	170
Beryllium	6010	0.5	0.67
Cadmium	6010	0.5	N.D.
Chromium (Total)	6010	0.5	23
Chromium (VI)	7196	0.5	N.D.
Cobalt	6010	0.5	12
Copper	6010	0.5	32
Lead	6010	1.0	6.2
Mercury	7471	0.1	N.D.
Molybdenum	6010	1.0	N.D.
Nickel	6010	0.5	19
Selenium	6010	5.0	N.D.
Silver	6010	0.5	N.D.
Thallium	6010	5.0	N.D.
Vanadium	6010	0.5	55
Zinc	6010	0.5	72

Ms. Joann Ornelas 3990 Westerly Pl. Suite 210 Newport Beach, CA 92660

Sample Description: Soil, AOI4A-B10-4-15

Laboratory Sample #: 99030256 Laboratory Reference #: IES 10821 Client Project ID: Bldg 4, AOI4, BRC

Client Project #:

 Sampled:
 03/31/99

 Received:
 03/31/99

 Analyzed:
 04/01/99

 Reported:
 04/01/99

CCR - METALS

ANALYTE	EPA METHOD	DETECTION LIMIT mg/kg	SAMPLE RESULTS mg/kg
Antimony	6010	5.0	N.D.
Arsenic	6010	1.0	4.1
Barium	6010	0.5	160
Beryllium	6010	0.5	0.71
Cadmium	6010	0.5	N.D.
Chromium (Total)	6010	0.5	25
Chromium (VI)	7196	0.5	N.D.
Cobalt	6010	0.5	. ₁11
Copper	6010	0.5	42
Lead	6010	1.0	6.4
Mercury	7471	0.1	N.D.
Molybdenum	6010	1.0	N.D.
Nickel	6010	0.5	19
Selenium	6010	5.0	N.D.
Silver	6010	0.5	N.D.
Thallium	6010	5.0	N.D.
Vanadium	6010	0.5	54
Zinc	. 6010	0.5	78

Ms. Joann Ornelas 3990 Westerly PI. Suite 210

Newport Beach, CA 92660

Sample Description: Water, AOI4A-Rinsate-1

Laboratory Sample #: 99030260 Laboratory Reference #: IES 10821 Client Project ID: Bldg 4, AOI4, BRC

Client Project #:

Sampled:

03/31/99

Received:

03/31/99 **Analyzed:** 03/31-04/01/99

Reported:

04/01/99

CCR - METALS

ANALYTE	EPA METHOD	DETECTION LIMIT mg/l	SAMPLE RESULTS mg/l
Antimony	6010	0.1	N.D.
Arsenic	6010	0.1	N.D.
Barium	6010	0.01	N.D.
Beryllium	6010	0.01	N.D.
Cadmium	6010	0.01	N.D.
Chromium (Total)	6010	0.01	N.D.
Chromium (VI)	7196	0.01	N.D.
Cobalt	6010	0.01	N.D.
Copper	6010	0.01	N.D.
Lead	6010	0.05	N.D.
Mercury	7471	0.002	N.D.
Molybdenum	6010	0.05	N.D.
Nickel	6010	0.01	N.D.
Selenium	6010	0.1	N.D.
Silver	6010	0.01	N.D.
Thallium	6010	0.1	N.D.
Vanadium	6010	0.01	N.D.
Zinc	6010	0.01	N.D.

Ms. Joann Ornelas 3990 Westerly Pl. Suite 210 Newport Beach, CA 92660

Client Project ID: Bldg 4, AOI4, BRC

Client Project #:

Sampled:

03/31/99

Received:

03/31/99

Analyzed:

03/31/99

Laboratory Reference #: IES 10821

Sample Description: Soil, Water

Reported:

04/01/99

pH (EPA 9045)

LABORATORY SAMPLE NUMBER	CLIENT SAMPLE NUMBER	SAMPLE RESULTS
99030252	AOI4A-B10-1-0.5	8.2
99030253	AOI4A-B10-2-5	8.9
99030254	AOI4A-B10-3-10	8.9
99030255	AOI4A-B10-4-15D	8.7
99030256	AOI4A-B10-4-15	8.8
99030260	AOI4-Rinsate-1	8 4

Analysis: PCB 'S (EPA 8080)

Date of Analysis:04/1/99

Laboratory Sample No :99030257 Laboratory Reference No : IES 10821

Analyte	R1	SP	MS	MSD	PR1	PR2	RPD
	(ppb)	(ppb)	(ppb)	(ppb)	%	%	%
PCB-1260	0.0	250	160	150	64	60	6

Definition of Terms:

R1

Results Of First Analysis

SP

Spike Concentration Added to Sample

MS

Matrix Spike Results

MSD

Matrix Spike Duplicate Results

PR1

Percent Recovery Of MS: {(MS-R1) / SP} x100

PR2

Percent Recovery Of MSD: {(MSD-R1) / SP} x 100

RPD

Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

Analysis: PCB 'S (EPA 8080)

Date of Analysis:04/01/99

Laboratory Sample No :OCA 100 Laboratory Reference No : IES 10821

Analyte	R1	SP	MS	MSD	PR1	PR2	RPD
	(ppb)	(ppb)	(ppb)	(ppb)	%	%	%
PCB-1260	0.0	20	14	13	70	65	7

Definition of Terms:

R1

Results Of First Analysis

SP

Spike Concentration Added to Sample

MS

Matrix Spike Results

MSD

Matrix Spike Duplicate Results

PR1

Percent Recovery Of MS: {(MS-R1) / SP} x100

PR2

Percent Recovery Of MSD: {(MSD-R1) / SP} x 100

RPD

Relative Percent Difference: {(MS-MSD) / (MS+MSD)} \times 100 \times 2

Analysis: Metals

Date of Analysis: 04/01/99

Laboratory Sample No: 99030252, OCA200

Laboratory Reference No: IES 10821

Analyte	R1	SP	MS	MSD	PR1	PR2	RPD
	(ppm)	(ppm)	(ppm)	(ppm)	%	%	%
Antimony	0.00	10.0	9.48	9.60	95	96	1
Arsenic	0.08	10.0	9.90	9.93	98	99	0
Barium	3.67	5.00	8.44	8.39	95	94	1
Beryllium	0.01	1.00	1.07	1.06	106	105	1
Cadmium	0.00	1.00	1.04	1.04	104	104	0
Chromium (Total)	0.44	1.00	1.42	1.41	98	97	1
Chromium (VI)	0.0	5.0	4.6	4.3	92	86	7
Cobalt	0.19	1.00	1.16	1.16	97	97	0
Copper	0.47	1.00	1.54	1.55	107	108	1
_ead	0.11	5.00	4.64	4.65	91	91	0
Mercury	0.00	1.00	0.96	0.99	96	99	3
Molybdenum	0.00	5.00	4.95	4.96	99	99	0
Nickel	0.43	5.00	5.46	5.45	101	100	0
Selenium	0.00	10.0	9.88	9.95	99	100	1
Silver	0.00	5.00	5.21	5.21	104	104	0
Thallium	0.00	10.0	8.91	10.1	89	101	13
√anadium	0.86	5.00	5.78	5.77	98	98	0
Zinc	0.99	1.00	1.94	1.93	95	94	1

Definition of Terms:

₹1	Results Of First Analys	sis

SP Spike Concentration Added to Sample

MS Matrix Spike Results

MSD Matrix Spike Duplicate Results

PR1 Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2 Percent Recovery Of MSD: {(MSD-R1) / SP} x 100

RPD Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

Analysis: Metals

Date of Analysis: 03/31-04/01/99

Laboratory Sample No : 99030236, 99030229, 99030250

Laboratory Reference No : IES 10821

Analyte	R1	SP	MS	MSD	PR1	PR2	RPD
	(ppm)	(ppm)	(ppm)	(ppm)	%	%	%
Antimony	0.00	0.10	0.103	0.105	103	105	2
Arsenic	0.00	0.10	0.107	0.104	107	104	3
Barium	0.03	0.100	0.129	0.128	99	98	1
Beryllium	0.00	0.100	0.104	0.103	104	103	1
Cadmium	0.00	0.100	0.096	0.095	96	95	1
Chromium (Total)	0.00	0.100	0.103	0.101	103	101	2
Chromium (VI)	0.00	0.50	0.50	0.50	100	100	0
Cobalt	0.00	0.100	0.094	0.093	94	93	1
Copper	0.000	0.100	0.105	0.104	105	104	1
Lead	0.00	0.10	0.096	0.092	96	92	4
Mercury	0.000	0.010	0.010	0.010	98	99	1
Molybdenum	0.00	0.10	0.114	0.114	114	114	0
Nickel	0.00	0.100	0.093	0.092	93	92	1
Selenium	0.00	0.10	0.108	0.105	108	105	3
Silver	0.00	0.100	0.099	0.098	99	98	1
Thallium	0.00	0.10	0.102	0.103	102	103	1
Vanadium	0.00	0.100	0.107	0.106	107	106	1
Zinc	0.00	0.100	0.098	0.097	98	97	1

Definition of Terms:

R1	Results Of First Analysis	
SP	Spike Concentration Added to Sample	le

MS Matrix Spike Results

MSD Matrix Spike Duplicate Results

PR1 Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2 Percent Recovery Of MSD: {(MSD-R1) / SP} x 100

RPD Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

BOE-C6-0070

Analysis Request and Chain of Custody Record

ORANGE COAST ANALYTICAL, INC.

3002 Dow, Suite 532 Tustin, CA 92780 (714) 832-0064, Fax (714) 832-0067 4620 E. Elwood, Suite 4 Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Lab Job No:			
Page	1	of	2
9			- Paris

24

REQUIRED TAT:

HR.

CUSTOMER INFORMATION			-	PROJECT IN	FORM	IATIO)N					REQUERTELL	8	7	$\overline{}$	7.	<u>S/</u>	$\overline{}$					
COMPANY: Harding Lawson Associates	PRO.	PROJECT NAME: BLDG 4, AOI 4, BRC									? ^ /		/_/	(0)	,	Ι,	//// -						
SEND REPORT TO. 4. DYNCLOS - IEST	NUM	NUMBER:								/ ;			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	~/ <u>/</u>	0/								
ADDRESS: 30 CORP Park		LOCATION:								Ž	\$ E	/"\	/ ď	/ u	"			/ / /					
Tryine CA	ADDI	RESS:									A.	, v	7 5.5	X 8 / 6	W.								
PHONE: FAX:	SAM	PLED BY:	V H	۱ - د م ا								K ()	χ ς	/_/	"	/ /	Ι,	/ ,					
SAMPLE ID	NO. OF CONTAINERS	SAI	Y: V, Mathur AMPLE SAMPLE DATE TIME		SAMPLE MATRIX		E CONTAINER TYPE		PRES	s.	N. N.		\		/				REMARKS/PRECAUTIONS				
AOI4-810-1-0,5	1	3-3	31-99	0800	So	114	6"	1.5° Beass	NON	ıΕ		X							Fax results to IESI				
AOI4-BIO-2-5		ļ		0810							χ	X											
AOI4-BIO-3-10				0822							Χ	X											
AOI4-BIO-4-15D				0828							Χ	Х											
AOI4- BIO-4-15				0831						_	χ	X											
AOI4-BI-1-7				0905															HOLD				
A014-B1-2-11				0912		_											HOLD						
ACI4-B2-1-5.5				0927									X										
AOI4-B2-2-9,5	<u> </u>		_	0933															HOLD				
AOI4- B3-1-5.5				1008															HOLD				
AOI4-B3-2-9.5				1018															HOLD				
AOI4-84-1-7				1035															HOLD				
AOI4-84-2-11				1040															HOLD				
AOI4-B5-1-5,5	1			1059	_		4			,		<u> </u>							HOLD				
Total No. of Samples: 니니			Metho	od of Shipm	ent:																		
Relinquished By: Date/Time:			Recei	ived By:				Da	ate/Ti	ime:					Rep	ortir	ng F	orma	it: (check)				
Willen Mathy 3/31/9	9 16:	25													N	ORN	ΛAL		S.D. HMMD				
Relinquished By: Date/Time:			Rece	ived By:				Da	ate/Ti	ime:	ne: RWQ						RWQCB OTHER						
Relinquished By: Date/Time:				ived For Lal	`					ime:	e: ユーュト?′」 Sample Inte						Inte	grity	prity: (check)				
			CK	Va	16	(A)	LP. ~			١,	, '.	کح			in	tact			on ice				

SEND ADDR

Analysis Request and Chain of Custody Record

ORANGE COAST ANALYTICAL, INC.

3002 Dow, Suite 532 4620 E. Elwood, Suite 4 Tustin, CA 92780 Phoenix, AZ 85040 (714) 832-0064, Fax (714) 832-0067 (602) 736-0970

(714) 832-0064, Fax (714) 832-0067 (602) 736-0960 Fax (602) 736-0970											REQUIR	ED TA	Γ:	24	HR					
CUSTOMER INFORMATION		PROJECT INFORMATION									/65		7	$\overline{}$						
COMPANY: HARDING LAWSON	PROJ	PROJECT NAME: BLDG 4, ACT 4, BRC									/ \$ / _{\$}		5/		/ / / /					
SEND REPORT TO: J. CRNELAS - IESI	NUME	BER:																		
ADDRESS: 30 CORP PARK	LOCA	OCATION:																		
IRVINE CA	ADDR	ADDRESS:																		
]	/4	\\^`	\bigvee^{ζ_j}	/ /								
PHONE: FAX:	,		MATH	UR] /	.જા /	\ \\	*/		/ /	/ /	/ /					
SAMPLE ID	NO. OF CONTAINERS	SAMPLE DATE	SAMPLE TIME	MATR			PE PRES.		رگي/و		Y /				REMARKS/PRECAUTIONS					
AOI4-B5-2-9,5	1	3-31-99	1106	SOI	L 1,	5 82455	NONE	X												
AOI4-86-1-5		1	1143		\perp										HOLD					
AOJ4-86-2-9			1148												HOLD					
ACI4-87-1-8,5			1226			\perp									HOLD					
ACI4-B7-2-12.5			12:33			1:									HOLD					
AOT4-88- 1-5,5			1246					X												
ACI4-88-2-9.5			1253												HOLD					
AOI4-B9-1-5			1312			_\									HOLD					
AOI4-89-2-9	\checkmark		1318			$\sqrt{}$	1								HOLD					
AOI4-RINSATE-1	3		13:45	WAT		*	HNO3	X	X	×					* 2 POLY, I AMBER					
AOI4-CI/B1,2,3-1-1	1		1008	COMPOS SO1	irê 4	J4R 03	NONE	X												
A014-C2/B1,2,3-2-5			1018					X												
4014-03/84,5,6-1-1			11+3		\perp			X												
AOI4-C4/B4,56-2-5	V	\	1148	V		<u> </u>	\downarrow	X												
Total No. of Samples: 14		Meth	od of Shipm	ent:		·														
Relinquished By: Date/Time:		Rece	ived By:			D	ate/Time	:				Repo	rting F	orma	at: (check)					
Wilm Whatlow 3/31/99	16:2	ج										NO	RMAL	MAL S.D. HMMD						
Relinquished By: Date/Time:		Rece	ived By:			<u> </u>	ate/Time	:	RWQCB OTHER						OTHER					
Relinquished By: Date/Time:			ived For La	-	 مہ ۱				3-3-71 Sample Integrity: (check)											

Analysis Request and Chain of Custody Record

ORANGE COAST ANALYTICAL, INC.

3002 Dow, Suite 532 Tustin, CA 92780 (714) 832-0064, Fax (714) 832-0067

4620 E. Elwood, Suite 4 Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Lab Job N	۷o:	
Page	3	of _ 3

24 HR

(714) 832-0064, Fax (714) 832-0067 (602) 736-0960 Fax (602) 736-0970										RED T	AT: _		4	HR			
CUSTOMER INFORMATION	CUSTOMER INFORMATION PROJECT INFORMATION							<u></u>	$\overline{}$	$\overline{}$	7	7	7	7/,	7/		
COMPANY: HARDING LAIUSON	PROJECT N	NAME: BLOG 4,	AOI4	BRC	2	1/	La La	· /	/-5:/	/ /	/ ,	/ ,	Ι,	/ / /			
SEND REPORT TO: J. ORNELAS - IES!	NUMBER:					Multiplication of the complete											
ADDRESS: 30 CORP PARK	LOCATION:																
IRVINE CA	ADDRESS:																
				-		1	/ċ	17						/ /			
PHONE: FAX:	SAMPLED F	BY: V, MATH	UR			1/	m/	/ /	/ /	′ /		/ /	/ /	/ /			
SAMPLE ID	NO. OF . S	SAMPLE SAMPLE DATE TIME	SAMPLE MATRIX	CONTAINER TYPE	PRES.	/6								REI	MARKS/PRECA	AUTIONS	
AOI4-C5/87,8,9-1-1	1 3.	-31-99 1312	COMP. SOIL	JAR 4 02,	NONE	X				\prod						·	
AOI4-CG/87,8,9-2-5	4	1318	1	1	1	X	,										
			~	-	-		-	-			,	V=100		Annual Contract Contract	المواجعة المواجعة المارية المراجعة والرسية والمراجعة		
			 	 		 	+	\vdash			\rightarrow					- Sandana - 3 " .	
			+	-		<u></u>	+		-	\longrightarrow		<u></u>	<u> </u>		The state of the s		- +
			 	<u> </u>	 	ļ	$\perp \!\!\! \perp \!\!\! \perp$	\sqcup	\Box]	<u> </u>	7100				
										-		. مهد.	_'				· 1
				<u></u>				44. Tark. an		_		'					\top
																	1
			The service of the se	-					-					1			-
										-				-			+
									-+	\top	-	-	$\overline{}$				-
								\Box	$\neg \uparrow$	_	\dashv	\rightarrow			-		\dashv
								\Box	1	+	+		, —				+
																	1.
Total No. of Samples: 2		Method of Shipm	nent:		1	1											•
Relinquished By: Date/Time:		Received By:		D	ate/Time:	: :			$\neg \top$	Rep	ortir	na Fo	a	it: (check)			
Vila Mathe 3-31-99	16:25													•	S.D. HMM	D	=
Relinquished By: Date/Time:		Received By:		D	ate/Time:	:				R۱	NQC	CB			OTHER		_
Relinquished By: Date/Time:		Received For La	1 -		ate/Time:	3-	o; S-	- FRY - 2						(check))		